



Chicago Pneumatic

**SUPER
INDUSTRIAL**

Chicago
Pneumatic

CAMPAGN

SPECIAL OFFER AUTUMN 2017

INDUSTRIAL TOOLS

FOR GENERAL & INDUSTRIAL MAINTENANCE,
MANUFACTURING & HEAVY PRODUCTION

High-performance products.
Designed for you!



*Dust-proof (IP6)
and ATEX certified*

CP6748EX-P11R ATEX

Art nr 6151590570

CP6768EX-P18D ATEX

Art nr 6151590580

CP6778EX-P18D ATEX

Art nr 6151590590



BENEFITS · CP6748EX 1/2"

- ✓ Working Torque Range (fwd): 180-760 Nm
- ✓ Maximum Torque (reverse): 1085 Nm
- ✓ Free speed: 8400 rpm
- ✓ Blows per minute: 1200
- ✓ Weight : 2,4 kg

2965 :-

BENEFITS · CP6768EX 3/4" & CP6778EX 1"

- ✓ Working Torque Range (fwd): 400-1400 Nm
- ✓ Maximum Torque (reverse): 1750 Nm
- ✓ Free speed: 5100 rpm
- ✓ Blows per minute: 1050
- ✓ Weight : 4,4 & 4,6 kg

5765:-^{3/4"}

6095:-^{1"}

BENEFITS

- ✓ Working Torque Range (fwd): 350-1290 Nm
- ✓ Maximum Torque (reverse): 1630 Nm
- ✓ Free speed: 6300 rpm
- ✓ Blows per minute: 900
- ✓ Length: 222 mm
- ✓ Weight : 5.5 and 5,6 kg

CP6763 3/4"

Art nr 6151590400

3459:-

CP6773 1"

Art nr 6151590410

3459:-



Compact, Robust & Powerful



*The Best
Super Industrial 1"*

BENEFITS

- ✓ Working Torque Range (fwd): 1220-2440 Nm
- ✓ Maximum Torque (reverse): 3790 Nm
- ✓ Free speed: 3500 rpm
- ✓ Blows per minute: 650
- ✓ Length: 272 mm
- ✓ Weight: 10.5 kg

22235:-

CP0611P RS 1"

Art nr 6151590050



BENEFITS

- ✓ Working Torque Range (fwd): 1220-2440 Nm
- ✓ Maximum Torque (reverse): 3790 Nm
- ✓ Free speed: 3500 rpm
- ✓ Blows per minute: 1020
- ✓ Length: 360 mm
- ✓ Weight: 10.4 kg

26355:-

CP0611-D28H 1"

Art nr 6151590160



41175:-

CP6120-D35H 1 1/2"

Art nr 6151590120

The most productive 1 1/2"

BENEFITS

- ✓ Working Torque Range (fwd): 815-2,710 Nm
- ✓ Maximum Torque (reverse): 4880 Nm
- ✓ Free speed: 3500 rpm
- ✓ Blows per minute: 960
- ✓ Length: 420 mm
- ✓ Weight: 15.6 kg

MATERIAL REMOVAL



**Angel Grinder
CP3019-12AC**



**Sander
CP3019-20AF**



**Sander
CP3019-12AF**

MODEL	PART NUMBER	FREE SPEED	POWER	PAD Ø	COLLET SIZE	SPINDLE THREAD	FREE SPEED AIR CONS.	ACTUAL AIR CONS.	NET WEIGHT	AIR INLET	PRICE
		rpm	W	mm	mm	in.	l/s	l/s	kg	NPT	
CP3019-12AC	615 160 4070	12.000	375	---	6.35	---	3.2	8.0	0.51	1/4"	5915:-
CP3019-20AF	615 160 7090	20.000	375	75	---	1/4" UNC	8.3	3.0	0.63	1/4"	5865:-
CP3019-12AF	615 160 7080	12.000	375	75	---	1/4" UNC	9.3	5.7	0.63	1/4"	5865:-

PART NUMBER	CAPACITY	PRICE
205 054 9913	2" (50mm)	105:-

High performance in a compact package

High performance Industrial die grinder in a compact package



CP3019-20 CNOMO
Art nr 6151600340

4695:-

- BENEFITS**
- ✓ Collet size: 6 mm
 - ✓ Free speed: 20000 rpm
 - ✓ Power: 249 W
 - ✓ Length & Weight: 169 - 363 mm · 0.4 - 0.6 kg



CP3019-20ES CNOMO
Art nr 6151602210

5690:-

High performance Industrial die grinder in a compact package



CP3119-22 CNOMO
Art nr 6151600410

6095:-

- BENEFITS**
- ✓ Collet size: 6 mm
 - ✓ Free speed: 22000 rpm
 - ✓ Power: 900 W
 - ✓ Length & Weight: 222 - 363 mm · 1.0 - 1.4 kg



CP3119-22ES CNOMO
Art nr 6151602280

8650:-

KINGS OF REMOVAL

SUPERIOR TORQUE FOR MAXIMUM PRODUCTIVITY



12105:-

CP3850-85AH7VE

Art nr 6151704930

- ✓ Wheel size:..... 180 mm
- ✓ Spindle thread: HEX
- ✓ Free speed: 8500 rpm
- ✓ Power: 21000 W
- ✓ Weight: 2,70 kg

CP3850-65AH9VE

Art nr 6151704950

- ✓ Wheel size:..... 230 mm
- ✓ Spindle thread: HEX
- ✓ Free speed: 6500 rpm
- ✓ Power: 2100 W
- ✓ Weight: 2,90 kg



12685:-

CP3349-SALAVELE

Art nr 6151609130

- ✓ Spindle thread: 5/8-11
- ✓ Wheel size: 230 mm
- ✓ Free speed: 6500 rpm
- ✓ Power: 3000 W
- ✓ Weight: 4.4 kg



*Superlative performance
in heavy applications*

14115:-

GOOD



2590:-

CP7550-A

Art nr 8941075503

- ✓ Wheel size:..... 125 mm
- ✓ Spindle thread: ... M14
- ✓ Free speed: 12000 rpm
- ✓ Power: 840 W
- ✓ Weight: 1,6 kg

BETTER



4035:-

CP3450-12AA5

Art nr 6151604040

- ✓ Wheel size:..... 125 mm
- ✓ Spindle thread: ... M14
- ✓ Free speed: 12000 rpm
- ✓ Power: 810 W
- ✓ Weight: 1,7 kg

BEST



AUTOBALANCER

9535:-

CP3650-120AA5VK

Art nr 6151607180

- ✓ Wheel size:..... 125 mm
- ✓ Spindle thread: ... M14
- ✓ Free speed: 12000 rpm
- ✓ Power: 1700 W
- ✓ Weight: 1,9 kg

Sanders & Drills



CP3650-085AB

Art nr 6151620190

- ✓ Wheel size:..... 180 mm
- ✓ Spindle: 5/8" 11
- ✓ Free speed: 8500 rpm
- ✓ Power: 1700 W
- ✓ Weight: 1,39 kg

High performance & ergonomics

8075:-



Rotary sanding

CP7202

Art nr 8941072021

- ✓ Wheel size:..... 75 mm
- ✓ Spindle thread: 1/4" -20 UNC
- ✓ Pad type: Hook & Loop
- ✓ Free speed: 15000 rpm
- ✓ Weight: 0,68 kg

905:-

INDUSTRIAL REVERSIBLE PISTOL DRILLS

2110:-

CP1114R40

Art nr 6151580340

- ✓ Chuck capacity: 10 mm
- ✓ Free speed: 4000 rpm
- ✓ Power: 400 W
- ✓ Max torque: 1.7 Nm
- ✓ Net weight: 1.3 kg

2110:-

CP1114R26

Art nr 6151580330

- ✓ Chuck capacity: 10 mm
- ✓ Free speed: 2600 rpm
- ✓ Power: 400 W
- ✓ Max torque: 5.5 Nm
- ✓ Net weight: 1.3 kg



Forward – reverse switch for easier drilling and reaming.



REVERSIBLE INDUSTRIAL DRILLS NEVER FELT SO COMFORTABLE

2885:-

CP1114R09

Art nr 6151580320

- ✓ Chuck capacity: 13 mm
- ✓ Free speed: 900 rpm
- ✓ Power: 400 W
- ✓ Max torque: 16.8 Nm
- ✓ Net weight: 1.8 kg

2885:-

CP1114R05

Art nr 6151580310

- ✓ Chuck capacity: 13 mm
- ✓ Free speed: 500 rpm
- ✓ Power: 400 W
- ✓ Max torque: 25.2 Nm
- ✓ Net weight: 1.8 kg

BURR KIT

MODEL	PART NUMBER	SCHANK	PCS	PRICE
POWER CUT	8940171786	6 mm	5	1815:-
DOUBLE CUT	8940171787	6 mm	5	1490:-
ALUMINIUM CUT	8940171788	6 mm	5	1490:-



**POWER
CUT**



**DOUBLE
CUT**



**ALUMINIUM
CUT**



1055:-

**Needle Scaler
CP7115**

Art nr 8941071150

Compact to reach small areas

BENEFITS

- ✓ Good power/weight ratio
- ✓ Blows per minute: 2400
- ✓ Bore - Stroke: 23.5 mm - 11 mm
- ✓ Power: 1.8 joule
- ✓ Needle capacity: 19 x 1/8 (3)
- ✓ Length - Weight: 340 mm - 2.7 kg



2145:-


**Belt Sander
CP9780**

Art nr 6151939780

Easy handling & large removal

BENEFITS

- ✓ Quick-change belt replacement
- ✓ Paper size: 20x520
- ✓ Free speed: 20000 rpm
- ✓ Power: 380 W
- ✓ Length: 380 mm
- ✓ Weight : 1.5 kg



TITAN
BY CHICAGO PNEUMATIC

**Titan hydraulic
torque wrenches:
T Series**

More info at: www.titanti.com

HOSE REELS



A

- Extreme Robustness
- Made for All Purposes
- Adapted even to Industrial Uses



B

- Open
- More adapted to dirty environments
- Still Great Robustness and For All Purposes



PIC. REF	DESCRIPTION	PART NUMBER	THREAD	HOSE LENGTH (m)	Ø INT. (mm)	MATERIAL	PRICE
A	BSP HR8108	8940171991	1/4"	10	8	Composite	1875:-
A	BSP HR8208	8940171995	1/4"	10	8	Aluminum	2235:-
A	BSP HR8110	8940171993	1/4"	16	10	Composite	1635:-
A	BSP HR8210	8940171997	1/4"	16	10	Aluminum	3370:-
B	BSP HR9110	8940172001	3/8"	21	10	Composite	4865:-
A	BSP HR8113	8940171999	1/2"	16	13	Composite	3735:-
B	BSP HR9113	8940172003	1/2"	16	13	Composite	5230:-

AIR FLEX

Aimed to improve the working ergonomoy, Air flex connectors can rotate 360° eliminating efforts when working in cramped spaces



MODEL	PART NUMBER	RECOMMENDED FLOW - MAX	PRICE
		l/s	
1/4"	894 017 1568	12	565:-
3/8"	894 017 1570	35	730:-
1/2"	894 017 1566	35	730:-

SWIVEL



Aimed to improve the working ergonomoy, Air flex connectors can rotate 360° eliminating efforts when working in cramped spaces.

MODEL	PART NUMBER	PRICE
SWIVEL	894 015 8412	165:-



OIL AND GLOVES


DESCRIPTION	PART NUMBER	PRICE
Air Tool Oil - 120 ml	CA149661	30:-
CP Gloves L	8940158618	345:-
CP Gloves XL	8940158619	345:-

BLOW GUN

DESCRIPTION	PART NUMBER	PRICE
Blow gun standard	615 811 2690	145:-
Blow gun standard silencer	615 811 2700	150:-
Blow gun extended nozzle	615 811 2710	145:-
Blow gun extended nozzle silencer	615 811 2720	190:-



COUPLINGS; FILTERS, REGULATORS, LUBRICATORS (FRL) – CHECK OUR MAIN CATALOG



BRAND NEW LINE RELEASED JULY 2017:

CPN series (Comfortable Pneumatic Nutrunner)

More info to come...

MODEL	SQUARE DRIVE	MAX TORQUE	WEIGHT
CP6613	3/4"	1300	4,4 kg
CP6626	1"	2600	5,7 kg
CP6641	1"	4100	9,9 kg
CP6681	1½"	8100	15,0 kg



- THE MOST ROBUST PNEUMATIC NUTRUNNER
- NO IMPACT – CONTINUOUS ROTATION FOR HEAVY DUTY FASTENING
- AMONG THE SMALLEST GEARBOX
- THE HIGHEST ACCURACY WITH THE AIR TORQUE CONTROL FRL PACK (ATC PACK)


Easily find the tools you need
to get the job done!



CP ToolBox



Get the free **CP ToolBox**
Scan this QR code or visit www.cp.com/app



Order the complete catalogue at
order.seo@cp.com or from your dealer.

ORDER DIRECT: POST@NTT.NO
KONTAKT: DISTRIKTSANSVARIG



Trykkluft- og verktøyteknikk

NTT AS, Skien – Tlf: 35905770 – post@ntt.no – www.ntt.no

Distributor